

# EQUIPMENT

//2015



**CH2**

ENABLING AUSTRALIAN HEALTHCARE

# CH2 Medical Equipment

CH2 has had a long history of supplying a broad range of medical equipment to the Australian healthcare market. With commercial partnerships across a wide range of brands, including some exclusive, CH2 offers a one stop acquisition service for healthcare facilities and medical professionals looking to source medical equipment –whether it be for refurbishments or new start-ups.

Supported by a team with extensive clinical and market experience in Equipment, CH2 provides the assurance of quality advice and guidance to make the selection process faster and easier.

The CH2 Equipment Catalogue is a user friendly guide designed to assist medical professionals research and gather Equipment information relevant to their needs. The format is aligned with the key clinical functionality categories of Assessment, Diagnostic, and Procedure, to ensure related items are grouped together for ease of use.

This catalogue does not represent CH2's total Equipment offering; rather, it showcases a key group of quality products and supply partners that have been carefully selected by CH2. The selection criteria is based on CH2's own experience and knowledge that these partners will deliver outstanding performance and value for money.

## The Story of CH2

For over 75 years, CH2 has been dedicated to our fundamental purpose – Enabling Australian Healthcare.

Today CH2 is Australia's only fully integrated pharmaceutical and medical consumable distributor – servicing the healthcare market across four business units:

- CH2 Hospitals
- CH2 Primary Care
- CH2 Vet
- CH2 Aged and Community Care

With a strong heritage of delivering outstanding healthcare supply solutions, CH2 provides its customers the widest range and most competitive prices for Pharmaceuticals, Medical Consumables and Equipment.

---

**Supported by a team  
with extensive clinical  
and market experience  
in Equipment, CH2  
provides the assurance  
of quality advice and  
guidance to make the  
selection process faster  
and easier.**

---

## CONTENT

Assessment.....	2 - 15
Diagnostic.....	16 - 23
Procedure.....	24 - 35
Terms & Conditions .....	37

## 3M Stethoscopes



### 3M™ Littmann® Electronic Stethoscope Model 3200 Black 69cm

- Proprietary Ambient Noise Reduction (ANR) technology cancels out up to 85% of ambient background noise, without eliminating critical body sounds
- Max 24X sound amplification for optimum results
- Simple user Interface for easy operation

**1876709**  
3M-3200BK



### 3M™ Littmann® Cardiology III™ Stethoscope Black 69cm

- Outstanding acoustic performance, patented tunable diaphragm on each side of the chest piece for adult, paediatric, and small site auscultation
- Allows the user to conveniently alternate between low and high-frequency sounds without turning over the chest piece

**Black**  
**1528512**  
3M-3128

**Burgundy**  
**1522076**  
3M-3129

**Navy**  
**1808954**  
3M-3130



### 3M™ Littmann® Master Cardiology™ Stethoscope Black 69cm

- Tunable one piece diaphragm allows the user to conveniently alternate between the low and high-frequency sounds without turning over the chest piece
- Handcrafted solid stainless steel chest piece
- Dual-lumen design eliminates tube noise artifact from two tubes rubbing together

**1598382**  
3M-2160



### 3M™ Littmann® Classic II S.E. Stethoscope Black 71cm

- Proven Littmann reliability and reputation.
- Two-sided traditional combination chestpiece
- Comfortable fit and excellent acoustic seal with patented 3M™ Littmann® Snap-Tight Soft Sealing Eartips
- Three-year limited warranty (includes free repair) on any manufacturing or material defect(s)

**Black**  
**1205407**  
3M-2201

**Navy**  
**1331079**  
3M-2205

**Burgundy**  
**1331066**  
3M-2211

**Green**  
**1552290**  
3M-2208

## WELCH ALLYN Stethoscopes



### Welch Allyn Professional Adult Stethoscope

The Welch Allyn Professional Stethoscope is one of the most comfortable and versatile general-use stethoscopes manufactured today.

- General-use stethoscope
- Stainless steel double-head (bell and flat diaphragm) chestpiece with nonchill rim
- Rotatable binaural and interchangeable comfort sealing ear tips
- Tubing 28" (71cm) in length
- Latex-free
- 5 year warranty

**Black**  
**1455789**  
Welch 5079-135

**Navy**  
**1455801**  
Welch 5079-137

**Burgundy**  
**1455814**  
Welch 5079-139



### Welch Allyn Harvey™ Elite® Cardiology Stethoscope

Harvey Elite Stethoscope offers updated styling along with the superior comfort and auscultation capabilities that cardiologists have come to rely on. This enables you to hear cardiac, pulmonary and vascular sounds.

- New Longer 28" (71cm) length dual bore latex free tubing
- Full-range of stethoscopes
- Double-head (bell and flat diaphragm) stainless steel chestpiece with nonchill rim
- Paediatric chestpieces and spare tips included with 'S' version
- 10 year warranty, comes with 5 spare tips

**Black**  
**1455763**  
Welch 5079-125S

**Navy**  
**1465169**  
Welch 5079-271S

**Burgundy**  
**1472808**  
Welch 5079-270S

## LRI Stethoscopes



### LRI Pink Series Nurses Kit

McGrath Foundation Professional Nurses Kit; contains

- Liberty nurses pouch medium
- Liberty classic tunable stethoscope
- Liberty economy penlight torch
- Liberty nurses watch
- Basic one hand sphygmomanometer with liberty adult cuff & bladder
- Liberty tourniquet

**2071881**  
LRI-NK-MF2

## ADC (USA) Stethoscopes



### ADC Adscope Stethoscope 603

- Combination diaphragm/bell chestpiece precisely machined to exacting tolerances from surgical stainless steel for outstanding performance and rugged durability
- Extra large bell (1 3/8" diameter) for unsurpassed low frequency response
- Ultra-sensitive diaphragm (1 7/8" diameter) for greater amplification and crisper high frequency response
- Non-chill bell and diaphragm retaining rims for patient comfort
- Adsoft™ plus silicon with new snap-on connection for the ultimate in wearing comfort and acoustic steel
- Tubing 21" (53cm) in length

**2128243**  
ADC 603



### ADC Adscope Stethoscope Paediatric/Infant 604

- Combination paediatric chestpiece precisely machined to exacting tolerances from surgical stainless steel for outstanding performance and rugged durability
- Extra large bell (1 1/8" dia.) for unsurpassed low frequency response 1 3/8" diameter diaphragm for greater amplification and crisper high frequency transmission
- Ultra-sensitive diaphragm for greater amplification
- Non-chill bell and diaphragm retaining rim for patient comfort
- Reinforcing yoke molded into flexible 22" PVC "Y" tubing length 21" (53cm)

**2128251**  
ADC 604

## WELCH ALLYN Green Series LED Medical Exam Lights



### Welch Allyn Green Series™ 300 General Exam Light

Utilising a single white LED, the GS 300 Exam Light provides a whiter, brighter light than halogen and consumes less energy.

#### Whiter, Brighter and Greener

- Perfect combination of intense light output and cool operation in a compact design
- Touchless On/Off
- Multiple mounting options for floor space maximisation
- Low cost of ownership due to elimination of bulb replacement and lower energy consumption
- Easy Assembly
- 5 year limited warranty to include the LED light source and power supply only

**GS300 with Mobile Stand**  
**1877331**  
Welch 44456

**GS300 with Wall/Table Mount**  
**1877349**  
Welch 44416



### Welch Allyn Green Series™ Exam Light IV

Perfect for the OB/GYN office, the GS Exam Light IV provides you with 3x the typical light output and features a highly flexible long light pipe LED provides true tissue colour rendition during an exam whilst using less power.

#### Whiter, Brighter and Greener

- Highly flexible pipe for easy manoeuvrability
- Lightweight pipe is twice as long as conventional pipes
- Touchless On/Off
- Multiple mounting options for floor space maximisation
- 5 year limited warranty to include the LED light source and power supply only

**Mobile Stand for Exam Light IV**  
**1877453**  
Welch 48950

**Table/Wall Mount for Exam Light IV**  
**1877445**  
Welch 48955

**GS Exam Light IV with Table/Wall Mount**  
**1877445**  
Welch 48816

## HEINE Examination Lights



### Heine HL1200 Examination Light

- High Intensity Halogen light without heat for patient comfort
- Multiple angle positioning capability with latest flexible arm section with ultra-slim light head
- 3 different mounting options: wall, table or mobile stand
- Producing very bright, white light
- Long lasting 12v/20W bulb (4000hrs) gives up to 90,000 lux light output at 30cm

**1765996**  
HEINE-J-005.27.054



### Heine Examination Halogen Light with Wall Mount

- High Intensity Halogen light without heat for patient comfort
- Multiple angle positioning capability with latest flexible arm section with ultra-slim light head
- 3 different mounting options: wall, table or mobile stand
- Long-lasting 12 V/50 W halogen bulb (4000 hrs) gives up to 120,000 lux light output at 30cm
- Producing very bright, white light

**1816629**  
HEINE-J-005.27.102

## REDBANK Examination Lights



### Redbank Halogen Examination Light ML308

- Hi intensity halogen light (45,000 lux 30cm)
- 700mm long flexible positioning arm
- 2 years warranty
- Wall or mobile mounted
- Table mount / wall bracket option available

**Examination Light**  
**1774041**  
ML308

**Mount Option/ Wall Bracket**  
**1774059**  
ML307



### Redbank Magnified Examination Lamp ML218

- Expandable curly cord that will stretch up to 2.5 metres
- Lamp is returned to wall bracket after use-eliminating trip hazard
- 127mm diameter lens, 2 x magnification
- Scratch resistant glass lens

**1624341**  
ML218



### Redbank Maggyvue ML100 Magnifying Light

This magnifier lamp has an excellent field of view and shadow free lighting with illumination from 3 sides.

- Wide area rectangular lens 160mm x 100mm
- Optional clip on lens to increase magnification
- 1.75 x magnification
- Supplied with bench clamp and diffuser
- 3 x 9 watt fluorescent tubes, daylight colour

**1758770**  
ML100

## WELCH ALLYN Thermometry



### Welch Allyn Braun ThermoScan® PRO 4000 Ear Thermometer

- ExacTemp™ technology provides an active user feedback system to ensure proper positioning and improved accuracy
- Preheated tip and sensor provides improved accuracy and repeatability
- Probe cover detection system ensures precise infrared heat transfer for accurate temperatures
- Automatic probe cover eject button for quick and easy disposal of used probe covers
- 3 year limited warranty

**1631904**  
Welch 04000-200

## DALCROSS Exam Room Furniture



### Dalcross Mobile IV Stand 2 Prong Adjustable Height S/Steel - 5 Wheel

- Solid powder coated steel base with stainless steel pole
- Height: 1270mm to 2200mm
- Base diameter: 500mm
- Five 50mm twin wheel castors

**1418704**  
DALCRS-1562

## RYCOM Thermometry



### Rycom Non Contact Infrared Thermometer

- Large, easy-to-read, backlit LCD screen
- Does not require probe covers or additional accessories
- Accurate to within 0.3°C
- Battery-Saving, Five-second auto shut-off
- Measure 5cm - 8cm away from forehead
- Measure time is less than 1 second
- Simple one-handed operation
- Easy to use one button measurement
- Waterproof, anti-shock
- Hygienic, no skin contact

**2164447**  
ZONEME-RYCRC002

# HEINE

## Sphygmomanometers



### Heine Gamma XXL LFS

The top-quality professional model.

- Shockproof and Latex-Free
- Durable polycarbonate construction. Will hold up in the busiest hospital and practice environments
- Oversized 130 mm Diameter Scale. Can be pivoted for clear, easy reading from any angle
- Long Spiral Inflation Tube (3m), for increased working distance
- Wall, Desk and Wheeled Stand. Adjustable height
- 10 year warranty

<b>Mobile</b> <b>1730291</b> M-000.09.326	<b>Desktop</b> <b>1989493</b> M-000.09.322	<b>Wall Mount</b> <b>1730283</b> M-000.09.323
---	--	---



### Heine Gamma GP

- Shockproof and Latex-Free
- Innovative push-button valve with ultra-fast air release.
- Easy to operate by both left and right-handed users.
- 5 year warranty

**1730275**  
HEINE-M-000.09.242



### Heine Gamma G5

The Heine standard sphygmomanometer

- Housing is moulded of shockproof plastic with shock absorbing, anti-slip coating
- Adjustable Spoon (Polyamid Thermo Plastic). For both right or left-handed operation
- 5 year warranty

**1730259**  
HEINE-M-000.09.230

# WELCH ALLYN

## Sphygmomanometers



### Welch Allyn Gold Series DS66 Trigger Aneroids

Shock resistant to maintain accuracy with lower lifetime cost.

- Soft comfort grip
- Jewel movement for long life
- Laser-engraved dial face for accuracy
- Trigger deflation valve for smooth, one-finger operation
- 15 year calibration warranty / 10 year warranty material & workmanship manometer / 3 years BP cuff
- Lighter weight than traditional models—won't weigh down your lab coat
- Premium aesthetics
- All Latex-free

**DS66 Multi-Cuff Kit (Gauge and Cuffs - Child Print, Small Adult, Adult, Large Adult)**

**1456515**  
Welch 5098-30

**DS66 Aneroid with Trigger Valve, Single Tube, One Adult Cuff in a zipper case**

**1456493**  
Welch 5098-27



### Welch Allyn FlexiPort® Reusable Blood Pressure Cuffs

Long lasting, easy to use and affordable. Offers virtually every type, size and configuration of cuff. Allows for standardisation to single brand and resultant inventory reduction via the innovative Flexiport connection, making every type of cuff either one- or two tube compatible.

- Primary sizes are ISO colour-coded to make it easy to identify cuff size
- Simple distal cuff attachment/detachment of tubing with FlexiPort makes changing cuffs faster and easier
- Latex-free material
- Rotatable port reduces stress to cuff tubing and port, improving patient comfort and cuff durability.
- Meets all latest clinical guidelines for proper fit from AAMI and AHA
- 3 year warranty

<b>Sphy Cuff FlexiPort - Newborn</b> <b>1836152</b> Welch REUSE-06	<b>Sphy Cuff FlexiPort - Child</b> <b>1836183</b> Welch REUSE-09	<b>Sphy Cuff FlexiPort - Adult Long</b> <b>1836214</b> Welch REUSE-11L	<b>Sphy Cuff Thigh Reusable Flexiport</b> <b>1839001</b> Welch REUSE-13
--	--	--	---

<b>Sphy Cuff FlexiPort - Infant</b> <b>1836169</b> Welch REUSE-07	<b>Sphy Cuff FlexiPort - Small Adult</b> <b>1836190</b> Welch REUSE-10	<b>Sphy Cuff FlexiPort - Large Adult</b> <b>1836221</b> Welch REUSE-12
---	--	--

<b>Sphy Cuff FlexiPort - Small Child</b> <b>1836176</b> Welch REUSE-08	<b>Sphy Cuff FlexiPort - Adult</b> <b>1836207</b> Welch REUSE-11	<b>Sphy Cuff FlexiPort - Large Adult Long</b> <b>1836238</b> Welch REUSE-12L
--	--	--



### Welch Allyn 767 Wall, Desktop and Mobile Aneroids

- Laser-engraved dial face provides unmatched accuracy
- Recessed dial face and high contrast orange pointer increase visibility and reduce parallax errors
- Lifetime calibration warranty
- 10 year material and workmanship warranty
- New 5 leg mobile stand provides improved stability and manoeuvrability
- Simple colour changes give the aneroid a new look
- Latex and Mercury Free

<b>Mobile</b> <b>1518318</b> Welch 7670-10	<b>Desktop</b> <b>1967221</b> Welch 7670-16	<b>Wall Mount</b> <b>1457309</b> Welch 7670-01
--	---	--

## WELCH ALLYN

### Digital BP Machines



#### Welch Allyn Spot Vital Signs with NIBP and Nellcor Pulse Oximetry

Vital signs in seconds with hospital-grade technology that's easy to use, accurate and affordable.

- Measures non-invasive blood pressure (NIBP), pulse rate, temperature and SpO2 in about approximately 30 seconds
- Lightweight and portable with a variety of mounting options
- All configurations include NIBP, pulse rate and MAP
- Optional—Masimo® or Nellcor pulse oximetry

**1575342**

Welch 42NOB-E6 (Nellcor)



#### Welch Allyn Spot Vital Signs® LXi with SureBP®, Nellcor SpO2, with Braun ThermoScan PRO 4000 Ear Thermometer

Take vital signs in about half the time. Take patient care to a whole new level.

- SureBP technology measures blood pressure in about 15 seconds as the cuff is inflating—resulting in time savings for you and improved comfort for your patients. Pulse rate and MAP included
- Choice of Masimo® or Nellcor® pulse oximetry
- 50-reading on board memory allows retrieval of previous data for review, to print or to download later
- Connectivity-ready for HIS or EMR software
- Bigger, brighter LCD display

**1837356**

Welch 45NE0-E6 (Nellcor)



#### Welch Allyn Connex® ProBP™ 3400 Digital Blood Pressure Device

Accurate, reliable, connected professional blood pressure readings in the palm of your hand.

- Small, handheld design makes device easy to carry and capture readings on rounds or in triage settings
- Hospital-grade SureBP® technology enables fast, accurate 15-second blood pressure readings, improving patient comfort
- USB-wired technology enables connectivity to select EMR/HIS systems, improving documentation accuracy and efficiency
- Compatible with FlexiPort latex free blood pressure cuff sizes ranging from small child (12cm) to thigh (55cm)

**Connex ProBP**

**1947239**

Welch 34XFHT-6

**Desk Mount**

**1947247**

Welch 4602-61



ProBP Device

## OMRON

### Digital BP Machines



#### Omron Digital Automatic Blood Pressure Monitor

- Accurate and reliable
- Dual measurement mode
- Environmentally friendly, mercury-free
- Easy to use, no training required
- Quiet, ideal for clinical environment
- Programmable average mode ideal for clinical use
- Complies with AAMI\* standards for accuracy in automatic blood pressure measurement.

**2054029**

HEM907KIT

## MEDICAL IMPORT GROUP (MIG)

### Scales Measures & X-RAY Viewers



#### MIG X-RAY Viewing Box LCD - Single

Single Bay - Slim Line  
LCD Display - Dim  
L 47 x W 2.4 x H 55cm

**1888443**

MIG-300-001



#### MIG X-RAY Viewing Box LCD - Double

Double Bay - Slim Line  
LCD Display - Dim  
L 95 x W 2.4 x H 55cm

**1888451**

MIG-300-002



#### MIG X-RAY Viewing Box Standard Single

Single Bay - Standard - Dim  
L 44 x W 12 x H 59cm

**1888460**

MIG-300-004



#### MIG X-RAY Viewing Box Standard Double

Double Bay - Standard - Dim  
L 80 x W 12 x H 59cm

**1888478**

MIG-300-005

## CREATIVE

### Digital BP Machines



#### Creative Vital Signs Monitor, ECG NIBP SPO2

Model PC-900C vital signs monitor is a small Multi-parameter Patient Monitor, which can monitor the vital physiological parameters inc/ Non-Invasive Blood Pressure (NIBP), and Pulse Oxygen saturation (SpO2) and ECG. Displayed via large bright LED & LCD waveforms.

**Device Only**

**2001146**

MEDELE-PC-900C

**Optional Mobile Stand**

**2001171**

MEDELE-CRE-MED-USM

## CREATIVE

### Dopplers & Pulse Oximeters



#### Creative Medical Oximeter Finger Dual Color Display

This Oximeter is easy for detecting the SpO<sub>2</sub>, Pulse Rate (PR), Pulse Intensity. It also can display plethysmograph.

- Light, small in size and easy to take
- Accurately measure SpO<sub>2</sub> value and pulse rate value
- Dual-color display of SpO<sub>2</sub>, PR, Pulse Bar and Plethysmogram
- Innovative 2 directions display
- Automatic start measuring after putting finger into rubber cushion
- Power off automatically without signal for more than 8 seconds
- More than 30 hours continuous working time with 2AAA alkaline batteries
- Over limit indication
- Low voltage indication

**1967150**  
PC60-B5



#### Creative Medical Fingertip Oximeter

PC-60E Fingertip Oximeter can be used to measure pulse oxygen saturation (SpO<sub>2</sub>) value and pulse rate value; simply put your finger into sensor, SpO<sub>2</sub> value and pulse rate value will be displayed on screen. Features:

- Light, small in size and easy to carry
- Bright colour OLED and multi-directional display
- Accurately measure SpO<sub>2</sub> value and pulse rate value
- Automatic display direction adjustment
- Automatic sensing finger tilt to adjust display direction
- Low voltage indication
- Shown with an optional paediatric sensor

**2001154**  
PC-60E



#### Creative Medical Oximeter Finger Tip Multi Color Display

PC-60B1 Fingertip Pulse Oximeter can monitor SpO<sub>2</sub>, PR and PI through patient's finger. This device is applicable to hospital, home, community medical centre, mobile paramedical and recreational sports application and it also can be used before and after sports.

- Prevention against water ingress, drop resistant
- It is lightweight, small in size and easy to take
- Accurately measure SpO<sub>2</sub> value and Pulse Rate value
- Dual-color display of SpO<sub>2</sub>, PR, PI, Plethysmogram and Pulse Bar
- Innovative 4 directions display
- Automatic Power On/Off
- More than 30 hours continuous working time with 2AAA alkaline batteries
- Audible & visible alarm function
- Battery voltage indication, low battery voltage alarm

**1967168**  
PC60-B1



#### Creative Medical Doppler Foetal Hand Held 2MHz Probe

- LCD display and LED backlight
- Two display modes: Numerical & curve display of FHR
- 2.0MHz probe with low ultrasound radiation
- Recording function
- Store and recall FHR, up to 16 hours of FHR data storage
- Shown with the optional Transducer

**1967184**  
PC-860A

## HADECO

### Dopplers & Pulse Oximeters



#### Hadeco Doppler Minidop ES100VX with 2MHz Probe (Foetal)

- Economic Pocket Doppler with 40% improved sounds
- Improved volume control for easy operation
- 9V Battery operated

**1813367**  
CRITIC-SMAES100VX2



## ADE (Germany)

### Scales Measures & X-RAY Viewers



#### ADE Scale Floor Digital 200kg

Electronic floor scale with a solid ABS housing and a capacity of 200 kg. The step on technique combined with the auto-hold function makes the reading on the large LCD display effortless and comfortable.

- Graduation 100g. Dimensions 355 x 345 x 35mm.
- kg/lbs/st selectable.
- Automatic zero setting function
- Easy to read 60 mm tall figures and backlight display
- Step on technique. Auto hold function
- Battery operated by 4 X standard AAA batteries

**2039460**  
MEDELE-M317600



#### ADE Scale Floor Mechanical 160kg

Easy to read dial. Extra-large platform size. Durable and long-lasting steel construction. Non-slip covering.

- Capacity: 160kg
- Graduation: 500g
- Dimension: 325 x 480 x 108mm

**2001120**  
MEDELE-M308800



#### ADE Scale Floor Digital 250kg Heavy Duty Platform

- Solid construction, auto switch off
- Adjustable levelling feet
- Dual direction display
- Mother/baby function
- Capacity 250kg/100g
- Platform 400 x 350mm

**2164121**  
MEDELE-M322600



#### ADE Stadiometer Telescopic Scale

Specifically made height measure for wall mounting. The foot positioner guarantees correct standing of the patient for accurate measurement. The range of 600 to 2100 mm covers the length of children and adults. The foldable head positioner completes this unit.

**2013112**  
MEDELE-MZ10023



#### ADE Scale Digital Baby 20kg

- Safe, comfortable large tray
- Large 3cm readout
- Zero, switch off, mem, tare, auto off
- Power supply: mains adaptor or battery
- Capacity: 20kg/5g

**1888275**  
MEDELE-M112600



#### ADE Scale Chair 250kg

Comfortable and practical to use chair scale. Swivelling foot and arm rests allow comfortable access in and out of the chair. 4 wheels make the scale easily manoeuvrable and safe due to two brakes at the back wheels.

- Large LCD: 25 mm. Capacity: 250kg/100g
- Weight unit kg/lbs selectable, Automatic zero setting
- Tare and hold function. BMI (Body Mass Index) function
- Power supply: mains and rechargeable batteries
- Arm and footrests swivelling. Double brake system

**2001138**  
MEDELE-M400650



#### ADE Scale Column Digital 250kg

- Large LCD display
- Automatic Zero setting and function test
- Tare and hold function Automatic switch off
- Low battery indicator
- BMI (Body Mass Index) calculation
- 25 personal memory settings for all displayed result
- Power supply: mains adaptor and batteries
- Capacity: 250kg/100g
- Image shown with optional telescopic MZ10023-1 height measuring rod

**2164439**  
MEDELE-M304641-01



#### ADE Baby Measuring Mat 100-1000mm

- Easy to read while baby lies on the mat. Soft material - perfect for babies' skin
- Easy to clean plastic material
- Measuring range 100 - 1000mm/5mm
- Dimensions: 1260 x 280 x 90 mm

**1888283**  
MEDELE-MZ10027



#### ADE Circumference Measuring Tape

- Printed on both sides for measuring the circumference & length
- Press button for automatic rewinding
- Measuring range: 50 - 1500mm / 1mm
- Dimensions 55x20x80mm, Weight approx. 45g

**1888291**  
MEDELE-MZ10021



#### ADE Height Measuring Tape - Wall Mount

- Space Saving, Wall/Door Mounting
- Range 0-2200mm/1mm, Dim 140x35x130mm

**1888304**  
MEDELE-MZ10017

# WELCH ALLYN

## Diagnostic Sets & Dermatoscopes



### Welch Allyn 3.5V EpiScope® Skin Surface Microscope Set with Rechargeable Handle

Helps distinguish pigmented skin lesions such as basal cell carcinoma vs. malignant melanoma by providing the ability to magnify, illuminate and measure.

- Provides 10 times magnification and illumination for crisp, clear viewing
- Reticle contact plate facilitates measurement and tracking of lesion growth
- Fits any 3.5V Welch Allyn power source
- Halogen illumination for true tissue colour
- Free reference guide available for patient education

**With NiCad Rechargeable Handle and Transformer**  
**1302732**

Welch 47356-C

**With Lithium-ion Handle, Charging Pod and Transformer**  
**1888347**

Welch 47356-SM



### Welch Allyn Diagnostic Set with Coaxial Ophthalmoscope, Fibre Optic Otoscope with Throat Illuminator, Lithium Ion Handle in Hard Case

Included with sets:

- Standard Fibre Optic Otoscope with HPX lamp technology and quality fibre optics
- Coaxial Ophthalmoscope for a larger view of the fundus
- 4 Reusable Specula
- 3.5V Lithium-Ion power system for longer use and better performance - Handle, Charger and Charging Stand
- Soft zipper-case

**1566214**

Welch 97206-VSM



With LED Globes

### Welch Allyn Diagnostic Set with 3.5V Lithium Ion Handle PanOptic Ophthalmoscope & MacroView Otoscope

- MacroView Otoscope for a full view of the tympanic membrane with 30% greater magnification
- PanOptic Ophthalmoscope for easier entry into the undilated pupil with 5 X larger field of view than standard ophthalmoscopes
- 3.5V Lithium-Ion power system for longer use and better performance - Handle, Charger and Charging Stand
- LED option available (7 year warranty on LED lamps)
- Hard zipper-case

**Standard**  
**1632190**

Welch 97206-MVPS

**With LED Lamp**  
**2156746**

Welch 97206-MVPSL



### Welch Allyn Diagnostic Set with 3.5V Lithium Ion MacroView Otoscope

Included with sets:

- MacroView Otoscope for a full view of the tympanic membrane with 30% greater magnification
- Coaxial Ophthalmoscope for a larger view of the fundus
- 3.5V Lithium-Ion power system for longer use and better performance - Handle, Charger and Charging Stand
- LED option available (7 year warranty on LED lamps)
- Hard zipper-case

**Standard**  
**1836438**

Welch 97206-MVS

**With LED Lamp**  
**2179681**

Welch 97206-MVSL



### Welch Allyn 3.5V Green Series 777 Coaxial Ophthalmoscope Wall Transformer Sets

Included with sets:

- 3.5V Green Series 777 Wall Transformer 77716
- MacroView Otoscope 23810
- Coaxial Ophthalmoscope 11720
- Locking collars 76700
- KleenSpec Dispenser 52400-PF (pre-filled)
- 5 year warranty applies to base unit transformer only
- Optional LED lamp version available (7 year warranty on LED lamps)

**Standard**  
**2053270**

Welch 77716-71M

**With LED Lamp**  
**2156754**

Welch 77716-71ML



### Welch Allyn Green Series 777 Wall Diagnostic Transformer with MacroView Otoscope and Coaxial and PanOptic Ophthalmoscope

Included with sets:

- 3.5V Green Series 777 Wall Transformer 77716
- MacroView Otoscope 23810
- PanOptic Ophthalmoscope 11820
- Locking collars 76700
- KleenSpec Dispenser 52400-PF (pre-filled)
- 5 year warranty applies to base unit transformer only
- Optional LED globe version available

**Standard**  
**2053288**

Welch 77716-82M

**With LED Lamp**  
**2156762**

Welch 77716-82ML



### Welch Allyn Green Series™ Diagnostic Desk System

Everything you need for comprehensive patient exams within easy reach. Simplified workflow and faster patient output combined with green energy efficiency.

- All the diagnostic tools you need in one compact desk set, helping to reduce exam time
- Choose the specific tools that work best for your facility, maximising your investment

Included in the 77535-66/86 Green Series Diagnostic Desk System :

- MacroView Otoscope with throat illuminator
- Choose from Coaxial 77536-66 or PanOptic 77536-86 Ophthalmoscope
- ThermoScan PRO 4000 Ear Thermometer
- Desk Aneroid with FlexiPort Adult Blood Pressure Cuff
- 2 x 3.5V Lithium-Ion Handles

**Coaxial**  
**2072614**

Welch 77535-66

**PanOptic**  
**2072622**

Welch 77535-86

Diagnostic

# WELCH ALLYN

## Diagnostic Sets & Dermatoscopes



### Welch Allyn PanOptic™ Ophthalmoscope

The revolutionary PanOptic provides easy entry into the eye, together with a wider field of view to more easily observe conditions such as hypertension, diabetic retinopathy and papilledaema.

- Fast, easy entry into undilated pupils
- 5 times larger view of the fundus versus standard ophthalmoscopes in an undilated eye
- 25° field of view versus the standard 5° field of view
- Compatible with all existing Welch Allyn 3.5V power sources

**1575166**

Welch 11820



### Welch Allyn MacroView™ Otoscope

Experience the MacroView Otoscope from Welch Allyn. This instrument is a significant advance in hand-held otoscopy, providing an improved view for enhanced learning and decision making.

- A nearly complete view of the tympanic membrane with approximately twice the field of view and 30% greater magnification than a traditional otoscope
- Better clarity and definition of landmarks
- The ability to adjust focus for variable ear canal length or farsighted eyes
- Tip grip for secure fastening and hands free ejection of used ear specula
- Optional with throat illuminator MacroView head (23820)

**Standard**

**1839027**

Welch 23810

**With illuminator**

**1632202**

Welch 23820



### Welch Allyn LED Replacement Lamps for Physical Assessment Instruments

Latest LED Medical lamp technology for physical assessment applications combining optimal colour temperature selection while still providing the longevity and efficiency performance of LED technology.

- **Long life** backed by a 7 year warranty ensuring peace of mind and virtually eliminating inconvenient interruptions for lamp replacement
- **SureColor™ LED technology** enabling the reduction of intensity to alleviate glare or enhance patient comfort while preserving the colour and clarity of the view
- **High energy efficiency** resulting in 3 times the examination time with each charge of a Welch Allyn rechargeable handle



**PanOptic™  
Ophthalmoscope**  
**1900799**

Welch 03800-LED

**Traditional  
Ophthalmoscope**  
**1900801**

Welch 04900-LED

**Traditional  
Diagnostic Otoscope**  
**1900781**

Welch 03100-LED

**MacroView  
Otoscope**  
**1900810**

Welch 06500-LED



### Welch Allyn Cordless Vaginal Speculum Illumination System

Designed with enhanced unique new features, including bright, white light with our new LED light sources. NEW! Single-use Sheath for KleenSpec® Cordless Illumination systems.

- Advanced LED light source provides improved visualisation of the exam area by supplying brighter, whiter light
- Cordless with no cables to get in the way during procedures
- Automatically illuminates upon insertion of the illuminator and once it is removed the light goes off
- Use your Cordless Illumination System as an all purpose light source as well as with the KleenSpec Disposable Vaginal Speculum

**1837370**

Welch 79916

# HEINE

## Diagnostic Sets



### Heine Mini 3000 Diagnostic Set OPH./F.O. Otosc 2.5V

Modern pocket otoscope in a unique, compact design. Set complete with:

- Rechargeable mini 3000 Ophthalmoscope and mini 3000 F.O. Otoscope
- 2 X 2.5V mini 3000 battery handles with batteries set (4pcs) reusable tips
- 5 X EA 2.5mm & 4mm disposable tips in a hard case

**1989186**

HEINE-D-873.11.021



### Heine Beta 200 Diagnostic Set 3.5v Liion L

High tech materials, the latest production processes and innovative design. Set complete with:

- BETA 200 Ophthalmoscope
- BETA 200 F.O. Otoscope, 3.5V
- BETA L rechargeable handle
- NT 300 charger set (4pcs) reusable tips
- 5 X EA 2.5mm & 4mm disposable tips
- One spare bulb in a hard case

**1985163**

HEINE-A-132.29.420



### Heine K180 Diagnostic Set 2.5V Otopsc/Ophthal

Full sized economical instruments with standard features and excellent quality. Set complete with:

- K 180 Ophthalmoscope
- K 180 F.O. Otoscope
- 2.5 V Beta battery handle set (4pcs) reusable tips

**1730347**

HEINE-A-279.10.118B

Diagnostic

# HEINE

## Dermatoscopes



### Heine DELTA 20 Plus Dermatoscope Set

The HEINE DELTA 20 Plus allows for working with either a polarising filter or immersion liquids through the simple exchange of the contact plate. This allows a choice in the examination method for the respective skin lesion to obtain the most accurate diagnosis.

- Set complete with: DELTA 20 Plus Dermatoscope, beta battery handle with contact plate for immersion N 23 mm diameter with scale, dermatoscopy compendium in a hard case, contact plate for polarisation P 23mm diameter with scale

**2132980**  
HEINE-K-260.10.118



### Heine Dermatoscope Mini 3000 LED Set

Modern dermatoscope with maintenance free LED illumination.

- Twice as bright as conventional Xenon Halogen dermatoscopes
- Set complete with: mini LED Dermatoscope with contact plate without scale, mini 3000 battery handle with batteries, 10ml dermatoscopy oil, in a zipper case

**2132998**  
HEINE-D-887.78.021

# WELCH ALLYN

## ECG & Spirometers



### Welch Allyn CP 150™ Electrocardiograph

The Welch Allyn CP 150 Electrocardiograph (ECG) offers simplicity with speed to meet the needs of fast-paced medical environments. Take quick ECG readings with the touch of a button. And with a range of advanced connectivity features, help improve your practice workflow by sending, managing, and sharing patient data with systems inside or outside your facility.

- 7" Colour, large touch screen display for fast and easy entry of accurate patient information
- Instant-on feature powers the device up quickly to save test time
- Simple one key ECG test acquisition
- Store up to 100 test results on the device or transfer to a USB memory stick
- Well designed and robust mobile cart and cable arm available

<b>Device Only</b> <b>2064729</b> Welch CP150A-1EN66	<b>Mobile Cart</b> <b>2064737</b> Welch 105342	<b>Cable Arm &amp; Shelf</b> <b>2064753</b> Welch 105343
--	--	--



### Welch Allyn PC-Based Resting ECG

Welch Allyn's PC-Based Resting ECG is part of the comprehensive CardioPerfect™ Workstation software suite (ECG/Spirometry/ABPM). Welch Allyn can help you tailor a solution that's perfect for your medical office workflow. You can now automatically transfer & archive patient ECG test information linked directly into most EMR's (Electronic Medical Records)

- From a single computer or enterprise wide networks—with or without an EMR or as stand alone PC ECG
- Preview live 4x3 ECG reports on screen prior to printing
- Automatic ECG measurements and interpretation speed physician review and confirmation time
- Programmable report formats print on plain paper using an inkjet or laser printer. No need for expensive thermal paper. No more fading problems or just no paper at all
- Overlay multiple previous ECGs results to compare changes over time
- Copy and paste report screen images directly in high resolution pastes into email or word processing to forward for consult

**1836107**  
Welch CPR-UI-UB-D



### Welch Allyn PC-Based SpiroPerfect™ Spirometer

Welch Allyn SpiroPerfect spirometer is part of the comprehensive CardioPerfect™ WorkStation software suite (ECG/Spirometry/ABPM). See and compare accurate results from pulmonary function tests in seconds. Clearly evaluate pulmonary obstruction or restriction.

- Fast, reliable pre-/post bronchodilator FVC, SVC, and MVV testing with automatic interpretation and reversibility analysis
- Instantly verify quality and variability of test performance and compare previous tests using the trending tool
- Motivate children with incentive graphic
- Reduce risk of cross contamination with single-use disposable transducers
- Easily monitor, review and print on your computer with Welch Allyn CardioPerfect WorkStation Software
- Provides versatile data storage and transfer of patient data linked to many leading EMR's
- Copy and paste report screen images directly in high resolution pastes into email or word processing to forward for consult
- Includes 3 litre calibration syringe

<b>Device</b> <b>1837325</b> Welch SPIRO-S	<b>Disposable Transducer</b> <b>1762023</b> Welch 703419
--	--



### Welch Allyn Ambulatory BP Recorder ABPM 6100

Welch Allyn Accurate 24-hour ABPM ambulatory blood pressure monitor is part of the comprehensive CardioPerfect™ Workstation software suite (ECG/Spirometry/ABPM).

- Oscillometric technology for reliable and quiet operation and allows for easy patient hook-up
- Lightweight, compact and quiet for improved patient compliance
- Dynamic inflation automatically limits maximum cuff pressure for patient comfort
- 100% latex-free cuffs reduce risk of allergic reactions
- Reporting options allow for intuitive faster review of results and repeated tests through easy to use trend graph
- Copy and paste report screen images directly in high resolution pastes into email or word processing to forward for consult
- Provides versatile data storage and transfer of patient data linked to many leading EMR's
- New sleeve cuffs offer secure fit and are machine-washable due to removable bladder

**1837332**  
Welch ABPM-6100S

## ndd Spirometers



### ndd Easy on-PC Spirometer

- The Easy on-PC utilises digital ultrasonic flow measurement technology, which ensures accurate results, repeatable performance and quality control with no moving parts and does not require calibration or maintenance
- The Easy on-PC has been specifically designed for real-time Spirometry on a PC or laptop computer and is perfectly suited to general practice, specialist practice and other clinic based solutions
- It is compatible with the Medical Director software for direct data integration. For other Doctor Software Programs a PDF file of the Spirometry report can be created instantly and uploaded into the patient file
- Features a Biological Control Check for Quality Assurance

**Device**  
**2164393**

NICHE-NC2700-3

**Spirometer Easyone Spirette**  
**1831543**

NICHE-ND2050-1

## QRS ECG



### QRS Universal PC-ECG Cardioview With Office Medic Software

- The Universal PC-ECG features accurate results, realtime graphical display and narrative interpretation
- The Universal ECG saves you money by eliminating thermal paper and calibration and minimising required maintenance of stand alone ECG's
- Compatible with Medical Director, Best Practice and Zed Med (office medic software)

**1587456**

CRITIC-Z-7000-0300

## HADECO Dopplers & Pulse Oximeters



### Hadeco Doppler Smartdop 30EX W/8MHz Probe

- Bi-directional Doppler for ABI/TBI studies with built-in cuff inflator
- Displays & prints velocity / pressure waveform & numerical data
- 30 waveform memory & USB interface
- Backlit LCD for easy visualisation
- Built-in PV capability
- Vascular Link Software Smart-V-Link for Windows (Option)
- Ni-MH rechargeable battery pack or AC adaptor
- 2 probe ports

**1885066**

CRITIC-SMADOP308EX



### Hadeco Smartdop 45 W/8MHz Probe

- Bi-directional Doppler with waveform LCD & fast printer
- 30 waveform memory & USB interface
- Vascular Link Software Smart-V-Link for Windows (Option)
- PPG & Pnemo probes (Option)
- Ni-MH rechargeable battery pack or AC adaptor
- Optional 20 MHz probe unit available upon request

**1749890**

CRITIC-SMADOP 45W8

## COAGUCHEK® INR Monitoring Meter



### CoaguChek® XS System

The smart way to test for INR results in 1 minute.

- A small (8µL) for dosing drop of blood from a finger prick
- Unaffected by therapeutic levels of UFH/LMWH17
- External side or top dosing on the strip
- Results can be trusted (low CV, on-strip QC)\*
- Quality control (QC) test availability
- 2000 patient & 500 QC results in memory
- Touch screen & improved data movement
- QC and operator lockouts
- Patient/operator ID management & printer option

**2020689**

ROCHE-04800842190

# WELCH ALLYN

## Green Series LED Medical Procedure Lights



### Welch Allyn Green Series™ 600 Minor Procedure Light

Featuring three LEDs and wider head, the GS 600 is designed specifically for demanding procedures.

- Touchless power controls and adjustable light output
- Rugged, ergonomic design allows for improved performance and long-lasting durability
- Low cost of ownership due to elimination of bulb replacement and lower energy consumption
- 5 year limited warranty to include the LED light source and power supply only

**GS600 Minor Procedure Light with Mobile Stand**  
**1877357**

Welch 44606

**GS600 Minor Procedure Light with Table/Wall Mount**  
**1877365**

Welch 44616



### Welch Allyn Green Series™ 900 Procedure Light

This procedure light, featuring 6 LEDs, combines outstanding durability, and extraordinary manoeuvrability.

- 6 white LEDs for greater intensity with outstanding shadow control
- Touchless On/Off with dimming control
- Multiple mounting options for floor space maximisation
- Rugged, ergonomic design allows for improved performance and long-lasting durability
- Lower cost of ownership due to elimination of bulb replacement and lower energy consumption
- 5 year limited warranty to include the LED light source and power supply only

**GS900 Procedure Light with Mobile Stand**  
**1877470**

Welch 44906

**GS900 Procedure Light with Ceiling Mount**  
**1877488**

Welch 44900-C

**GS900 Procedure Light with Wall Mount**  
**1877496**

Welch 44900-W



### Welch Allyn Green Series™ Procedure Headlights

Provides cool bright white light that is ideal for a variety of office-based procedures. Delivering well-defined light without heat.

- Light weight makes comfortable to wear for simple and complex procedures
- Supplies bright, white, shadow-free light for true tissue colour
- Optional rechargeable battery pack makes this a completely portable unit
- Solid state lamp has 10,000-hour life, low cost of ownership

**Solid State Procedure Headlight with Direct Power Supply**  
**1606397**

Welch 49026

**Portable Power Source with Charger**  
**1838331**

Welch 75266

# WELCH ALLYN

## Digital BP Machines



### Welch Allyn Connex® Vital Signs Monitor 6400 - Blood Pressure, SpO2 (Nellcor), Temperature (Braun ThermoScan® PRO 4000)

The Connex Vital Signs Monitor (VSM) is an advanced, touch screen monitor featuring bright, vivid colours with minimal knobs or buttons for ease of cleaning—perfect for hospital general care floors and for surgery centers and other ambulatory care offices. The Connex VSM helps clinicians dramatically improve patient safety and the time it takes for vitals capture

- SureBP® technology measures BP in 15 seconds as cuff is inflating
- Supports adult, paediatric and neonatal BP with MAP & pulse rate
- Fitted with Braun ThermoScan® PRO 4000 ear thermometry
- Optional Masimo or Nellcor Pulse Oximetry
- Captures both spot-check and continuous vitals monitoring into a single patient record
- Optional cable management stand simplifies user operation (1947116)

**Device**

**1947132**

Welch 64NXXE-6

**Optional Mobile Stand**

**1947116**

Welch4800-60



### Welch Allyn Connex Vital Signs Diagnostic Integrated Wall Station Coaxial/MacroView/Tympanic

The New Connex Integrated Wall System provides everything vital for improved patient safety, speed patient flow, and saving valuable time and space.

Features:

- Eliminates frustrating and time consuming searches for equipment
- Immediately view patient data, then send it directly to an EMR/HIS/EHR system
- Prevents tools from being lost, stolen and misplaced
- Enhances the visibility of information to your patients, improving communication and compliance
- Eliminates tangled, hanging cords provides accurate data every time, speeding decision-making open architecture design allows for custom configuration and expansion\*Includes: Blood Pressure, SpO2, SureTemp, SureTemp Plus, Braun Pro 4000, Coaxial Ophthalmoscope, MacroView Otoscope, KleenSpec Ear Specula dispenser and cuff storage

**2164076**

Welch 84NXVEC-6

# JJM

## Examination Lights



### JJM 2.5 x Magnified Binocular loupe/LED headlight in Spectacle & Head Mount options

- 3w 1xLED white light; Loupe magnification 2.5X
- Visual field: 120mm; Depth of field: 80mm; Focal point: 420mm.
- Colour temperature: 6000k
- 9500 Lux at 250mm
- 10hr battery. 20,000 hr LED life

**Head Mount**

**2161414**

JJMC301

**Spectacle Mount**

**2161406**

JJMC401

Procedure

## CONMED Electrosurgical



### Conmed Hyfrecator 2000 (Electrosurgical System)

The Hyfrecator (High Frequency Desiccator) has been the #1 product of choice by physicians in office based electrosurgery for over 60 years.

- Memory to store up to 3 power settings
- Remote control handpiece to change power settings, maintain the sterile field and decrease procedural time
- Autoclavable pencil. Includes disposable electrodes (sharp and blunt tip), and electrode kit with 5 reusable electrodes

**1443029**  
LINTEC-7-900-230

## AARON Electrosurgical



### Aaron Bovie A940™ High Frequency Desiccator

- Higher 40 Watt Power output
- Automatic high and low power modes
- Output power adjusts by 1/10th watt increments up to 10 watts, then by 1 watt increments up to maximum
- Superior quality 2 power control hand pencils
- Made in the USA
- **5 year warranty**

**1888777**  
DALCRS-A940

## WALMAY Cryosurgery



### Walmay Cryospray With 5 Tips 300ml Flask and 5 Tips Set

Made in Australia. Not only is the procedure simple, there are many benefits for both the physician and the patient in use. Minimum preparation time and quick application, for faster patient turnaround.

- No anaesthesia required - treatment is well tolerated by patients
- Minimal to no after patient care

#### Included:

- 0.3 Litre Flask – stores full day supply of liquid oxygen
- Comes complete with size one shaped Spray Tips
- One curved Spray Tip for body orifice surface treatment
- Other specialist spray nozzles & probes available on request
- Fine gauze Strainer on the end of the Siphon Tube to reduce contamination when accessing the Regulator mechanism
- Thicker sheathing around the Probe for greater tensile strength
- Centre of gravity is towards the top of the instrument, making it steady and easy to balance during operation
- Base Stand ring provides a greater surface area for instrument stability when not in use
- 5 year warranty

**1454344**  
WALMAY-CS

## LRI Resuscitation



### LRI Pump - Nebuliser-Bestneb

BESTNEB nebuliser is a high quality aerosol compressor with contemporary nonmedical styling. It is appealing to the clinician and the patient. Especially in the paediatric case, it makes children's respiratory therapy less frightening and has revolutionised the industry's approach to children's home health care products. According to the latest study, the majority of nebuliser users are from the paediatric field due to the poor resistance to air pollution.

- Contemporary styling - making it appealing to both clinician and patient
- Ultra quiet operation
- Pleasant pastel colours
- Compartment for storing accessories

**1499796**  
LRI-PNB



### LRI Rescu-2 Resuscitator Adult Set

RESCU-2 is an economical, durable silicone manual resuscitator designed to meet the need for high performance and low cost. Constructed from polycarbonate and silicone material that is autoclavable up to 134°.

#### Features:

- Adult resuscitator 1500 ml with 60 cm H2O pop-off valve
- 2500 ml Oxygen reservoir
- 2 adult masks #5135, #5134
- 2 guedel airways
- See through carry case with instruction manual

**1820798**  
LRI-RESCUAD



### LRI Disposable Adult Resuscitator

- Meets ISO-8382 & ASTM0-920 standards
- Arrow shape texture surface for slip free operation in wet conditions
- Faster rebound and less memory material applied for ease of operation
- Ergo designed shape provides ease of handling and less access force
- Clear resuscitation bag for ease of observation
- High efficiency silicone duckbill patient valve minimises back leakage
- Provides low inspiratory and expiratory resistance
- High efficiency reservoir system provides up to 99% oxygen concentration at low flow
- Swivel elbow oxygen tubing connection for ease of access
- Fits-all oxygen connector can be attached to flow meter directly
- Clear air cushion mask provides better seal, ease of observation during access and also patient comfort

**1817998**  
LRI-2268

# MEDELEQ

## Resuscitation



### Doctor's Friend Suction Portable 35LPM

Versatile high power general medical grade suction pump. Mains Operation only.

- Twin Piston Pump Design
- 35 LPM Flow Rate. 650~700 mm Hg Max Suction Pressure
- Re-usable or Disposable Single 1000ml Collection Jar

**2119937**  
MEDELE-DF760



Unit shown with carry case

### Logitech Scitech Emergency Aspirator (AC/DC) Suction Pump

- Surgical Suction Unit
- 20LPM flow rate. 0.08mpa max vacuum suction pump
- High quality AC/DC Emergency Aspirator specially used for emergency removal of secretion, blood, vomitus and mucus requirement without need of AC power supply.

**2119929**  
MEDELE-JX820D-2

# ZOLL

## Resuscitation



### ZOLL AED Plus Defibrillator

The AED Plus® is the first and only AED that provides Real CPR Help® for depth and rate of chest compressions during CPR.

The AED Plus offers:

- Support for the full Chain of Survival with easy to understand audio prompts and visual icons
- Real CPR Help for feedback on the rate and depth of compressions
- A one piece, easy to place electrode with an unmatched 5 year shelf life
- A rugged design that resists dust and water (IP55)
- Uses cost-effective lithium camera batteries that are easily replaceable with a 5 year shelf life
- Meets Australian Resuscitation Council Guidelines
- 7 Year Warranty
- Optional ECG Waveform version available on request

**1888881**  
ZOLL-20200000102011130

# MEDICAL IMPORT GROUP (MIG)

## Stainless Steel & Powder Coat Trolleys



### S/Steel Double Shelf Trolley Instrument

70 x 45 x 90 cm

**1987281**  
MIG-200-004



### S/Steel Trolley Double 2 Drawer Side By Side

80 x 50 x 90 cm

**1967248**  
MIG-200-007



### S/Steel Trolley Double 4 Drawer: 2 Up 2 Down

80 x 50 x 90 cm

**1967256**  
MIG-200-008



### S/Steel Double Shelf Trolley Instrument

50 x 50 x 90 cm

**1987257**  
MIG-200-001

# MEDELEQ

## Mild Steel Trolleys



### Persolife Emergency Trolley

- Mild steel, walls in orange/green strong polymer, worktop with and extractable plate in grey strong polymer – incorporated push-handle
- Worktop scratch resistant, moulded with 4-sides raised rim
- Platform for debrillator - size adjustable, 360° revolving with holding straps
- Equipped with 5 drawers in stainless steel
- Central locking system (by frontal cardiac board) with security breakable plastic seals (supplied with 20 plastic security seals). 2 transparent lateral tilt-out bins
- Shelf for vacuum pump
- Oxygen tank holder with holding straps
- Specific space for catheters
- Dimensions: 650x600x1150 H mm

**2122440**  
MEDELE-PCL-V-K



### S/Steel Double Shelf 1 Draw Trolley Instrument

50 x 50 x 90 cm

**1987265**  
MIG-200-002



### S/Steel Double Shelf 2 Draw Trolley Instrument

50 x 50 x 90 cm

**1987273**  
MIG-200-003



### Powder Coated 1 Drawer Trolley

50 x 50 x 96 cm

**2174426**  
MIG-200-201



### Powder Coated 2 Drawer Trolley

50 x 50 x 96 cm

**2174434**  
MIG-200-202

# GM MEDICAL

## Chair Blood



### Chair Blood Collection

- 800 x 1050 x 750mm
- Powder coated finish

**1745936**  
GMEDIC-BLO.0468 / H.0468



## GM MEDICAL Stools



### Surgeon Stool With Castors Height Range 530-710mm

- Height 530-710 mm
- Hand operated
- No backrest

**1748416**  
GMEDIC-STOO.0262 / H0262



### Single Step Stool Coated Nonslip Rubber Tread

- 420 x 300 x 200 mm
- Powder coated frame
- Non slip step surface

**1626013**  
GMEDIC-STEP.0375 / H0375



### Double Step Stool Frame Non-Slip Rubber Tread

- Step heights 200/400 mm
- Powder coated frame
- Non slip step surface

**1626021**  
GMEDIC-STEP.0393 / H0393

## GM MEDICAL Examination Couches



### Exam Couch 180x60x82cm Round Tube Epoxy Adjustable Head

- 1800 x 600 x 820mm
- Powder coated frame
- Adjustable Head Section
- Padded Upholster Top

**1625977**  
GMEDIC-EXAM.0357 / H0357



### Couch Electric 2 Section Omega Red

- Electric operated height & backrest
- Size: 1900mm long x 700mm wide. Height range: 490-900mm. 125mm castors – fully lockable. 200kg Maximum weight
- Head section: - positive tilt to 85 degrees; - negative tilt to 30 degrees. Padded, upholstered top, with face cut out
- Optional electric foot control

**1888312**  
GMEDIC-AX3600

## MEDICAL IMPORT GROUP (MIG) Examination Couches



### Electric Couch Hi-Lo Two Section Black

#### Product Description

- Lift for height variation by foot switch
- Lift for Min height to Max height in 30 seconds
- Adjustable foot for uneven surfaces

#### Upholstery 2 Section:

- Double Gas strut release for head section
- Head section with face hole and plug
- Padding thickness 6cm
- Manually adjustable head section from 0° to +75°

#### Specification:

- Total Length: 195cm
- Width: 71cm
- Head section length: 69cm
- Leg section Length: 124cm
- Height: adjustable from 48cm to 90cm

#### Optional:

- Hand switch

**1888486**  
MIG-100-02-BL



### Electric Couch Hi-Lo Three Section Navy

#### Product Description

- Lift for height variation by foot switch
- Lift for Min height to Max height in 30 seconds
- Adjustable foot for uneven surfaces

#### Upholstery 3 Section:

- Double Gas strut release for head section
- Head section with face hole and plug

#### Specification:

- Total Length: 195cm
- Width: 71cm
- Head section length: 62cm
- Leg section Length: 62cm
- Mid Section Length: 62cm
- Height: adjustable from 48cm to 90cm

#### Optional:

- Hand switch

**2130010**  
MIG-100-03-NB

# MEDICAL IMPORT GROUP (MIG)

## Ultrasonic Cleaners



### Alphasonic Ultrasonic Cleaner 5 Litres incl. Tray & Lid

Rinse time can be set from 2 to 30 minutes with rinse temperatures can also be adjusted.

- Power is automatically cut off when is lack of water is detected to help prolong the life of the elements
- External drainage system makes it easy change the water
- Low noise design makes for quiet operation
- Specialized basket is designed for delicate minute devices that should be free from friction and braise
- Clear operation plate with digital display makes it easy to operate

#### Specifications:

- Capacity: 5L. Tank Size: 240 x 140 x 150 mm
- Frequency: 40KHz. Ultrasonic Power W: 120
- Temp Adjustable: 20 – 80°C
- Digital Display. Timer: 1 – 60min

**1888531**  
MIG-500-001



### Alphasonic Ultrasonic Cleaner 10 Litres incl. Tray & Lid

Rinse time can be set from 2 to 30 minutes with adjustable rinse temperatures.

- Power is automatically cut off when is lack of water is detected to help prolong the life of the elements
- External drainage system makes it easy change the water
- Low noise design makes for quiet operation
- Specialized basket is designed for delicate minute devices that should be free from friction and braise
- Clear operation plate with digital display makes it easy to operate

#### Specifications:

- Capacity: 10. L Tank Size: 300 x 240 x 150 mm.
- Frequency: 40KHz. Ultrasonic Power W: 240.
- Temp Adjustable: 20 – 80°C
- Digital Display. Timer: 1 – 60min.

**1888540**  
MIG-500-002

## MEDILINE AUSTRALIA

### Vaccine Fridges



#### ML Series Vaccine Fridge

- 600 x 600 x 830mm
- Voltage Free Connection
- Power Failure Battery
- Digital Temperature Display
- Built in Alarms
- Door Lock
- Interior LED Light
- Fan Forced
- Glass or Solid Doors
- R134a Refrigerant
- Adjustable Shelving Strip
- USB Data Logger

**2073385**  
MEDVAC-ML125



#### ML Series Vaccine Fridge 300L

- 600 x 650 x 1495mm
- Voltage Free Connection
- Power Failure Battery
- Digital Temperature Display
- Built in Alarms
- Door Lock
- Interior LED Light
- Fan Forced
- Glass or Solid Doors
- R134a Refrigerant
- Adjustable Shelving Strip
- USB Data Logger

**2073406**  
MEDVAC-ML300



#### ML Series Vaccine Fridge 400L

- 600 x 695 x 1845mm
- Voltage Free Connection
- Power Failure Battery
- Digital Temperature Display
- Built in Alarms
- Door Lock
- Interior LED Light
- Fan Forced
- Glass or Solid Doors
- R134a Refrigerant
- Adjustable Shelving Strip
- USB Data Logger

**2073414**  
MEDVAC-ML400



#### Nuline Data Logger

- Recording refrigerator temperature

**2073422**  
MEDVAC-NV600

## COMINOX Steriliser Bench Top



18 Litre



24 Litre

### Cominox Bench Top Sterilisers (18litre & 24litre)

Pre & Post Vacuum S class. Suitable for solid & hollow loads. Designed to make the practice demands of any surgery easier.

- Large LCD screen with simple four button functionality
- Unique one piece chamber with 10 year chamber guarantee
- Vacuum assisted with optional auto fill and auto drain
- Special user programmable cycle
- Minimal maintenance required
- Programmable start
- Process evaluation system
- Data transfer on PC through USB key (USB vers.)
- Automatic opening VLS (Vacuum Locking System)
- Preset PC connection: the serial port for connection to the CominoxWizard program on all models; LAN and Wi-Fi modules are optional
- SterilCard® reader (optional) for user recognition and cycle memorization
- Bowie & Dick test cycle
- CH2 price includes on site validation & commissioning for standard metro delivery. (regional areas POA)
- Comes in 18 Litre and 24 Litre

**18 Litre**  
**2161422**  
COM18SVLSU

**24 Litre**  
**2161431**  
COM24SVLSU

## NJ PHILLIPS

### Ear Irrigation



#### Ear Syringe (Lever Action)

- Ergonomic design
- Extremely accurate
- Robust, reliable, durable and easily adjusted
- Up to 50ml
- Autoclave silicone tips

**1770293**  
MEDACC-PAS1043

## PROPULSE

### Ear Irrigation



#### Propulse NG Portable Ear Syringe


- The Propulse NG sets new standards in ear irrigation
- Its patented and unique features create an irrigation system that is safe, convenient and patient-friendly
- Propulse NG ear irrigator is the safe alternative to the traditional manual ear syringing procedure
- Propulse NG ear irrigator helps facilitate patient friendly, fast and efficient cerumen, keratin and foreign body removal from the external auditory meatus
- Quieter operation helps improve patient experience during the ear care procedure
- Comes with a 12 month parts and labour warranty

**1909890**  
DEVICE-MIR-KIT4001

## LRI


### Surgical Instruments

(Full range available on request)




**Adson Forcep PLN 12cm**

**1820367**  
LRI-LTFAP12



**Semken Tissue Forcep  
13cm Plain**

**1820412**  
LRI-LTFS13



**Feilchenfeld Splinter Forcep  
11cm**

**1819936**  
LRI-LSFF11

## LRI

### Artery & Aural Forceps



**Mosquito Artery Forcep  
Straight 12.5cm**

**1584167**  
LRI-LAFMS12



**Spencer Wells Artery Forcep  
- Curved 12.5cm**

**1819281**  
LRI-LAFSWC13



**Hartmann Aural Forcep  
- Croc-Action 11cm**

**1514245**  
LRI-LAFHC11

## LRI

### Scissors



**Iris Scissors Curved SH/SH  
12cm**

**1820005**  
LRI-LSIS12



**Metzenbaum Scissors  
Straight 16cm**

**1820105**  
LRI-LSMES16



**Angled Bandage Scissors  
14 cm**

**1820936**  
LRI-SBL140

## LRI

### Needle Holders (Tungsten - Carbide)



**Mayo-Hegar Needle Holder  
16cm TC**

**1487750**  
LRI-AE400/16NOPA



**Crile-Wood Needle  
Holder 15cm TC**

**1477667**  
LRI-AE070/15NOPA



**Olsen-Hegar Needle Holder  
/ Suture Scissors 14cm TC**

**1489409**  
LRI-AE488/14NOPA

# NOTES

## 1. TERMS AND CONDITIONS OF SALE

- 1.1 These terms and conditions apply to the sale of products by CH2 to the Buyer. CH2 may vary these terms by notice in writing to the Buyer. A copy of CH2's current terms and conditions of sale is available at [www.ch2.net.au](http://www.ch2.net.au).
- 1.2 These terms prevail over any terms in any document of the Buyer and contain the entire agreement between the parties. If the Buyer places an order, accepts delivery of products and makes any payment under this invoice or performs any of these terms, the Buyer is taken to have accepted these terms.
- 1.3 If CH2 and the Buyer have entered into a State Government contract, clause 1.2 does not apply and the terms of that contract prevail over the terms of this document.

## 2. PRICE AND GST

- 2.1 Prices quoted by CH2 are those ruling at the date of issue of quotation. A price quotation is not an offer by CH2. CH2 may alter prices without notice before CH2 accepts the Buyer's order.
- 2.2 Prices are exclusive of GST. The Buyer must pay to CH2 an amount equal to any GST CH2 must pay for any supply by the products under these terms and conditions of sale. The Buyer must pay GST at the same time the Buyer pays the price (under clause 5).
- 2.3 All prices quoted include standard packing for delivery within Australia.

## 3. ORDERS

- 3.1 Subject to clause 3.2, orders for products must be in units of measure (as defined by the Therapeutic Goods Administration and manufacturer's certification for the relevant product, as reflected in the CH2 catalogue).
- 3.2 Orders for catalogue or non-catalogue products which are not held as a stock line by CH2 and which are ordered on the Buyer's request must be for the relevant manufacturers minimum order quantity for that product.
- 3.3 If an order is for less than \$200 then a \$22.50 handling and freight charge will apply. CH2 may waive this charge where the Buyer exclusively orders products through CH2's electronic ordering system.
- 3.4 Orders for products which are temporarily out of stock will only be placed on backorder at the Buyer's express request.
- 3.5 CH2 reserves the right to charge the customer freight and cold chain fees.

## 4. DELIVERY

- 4.1 CH2 will use reasonable endeavours to despatch available products ordered for immediate delivery no later than 48 hours after receipt of the order.
- 4.2 Any delivery time CH2 gives the Buyer is only an estimate. CH2 is not liable to the Buyer for any loss or damage (including consequential loss or damage) arising from late delivery.
- 4.3 The Buyer must still accept and pay for the products even if CH2 delivers late.
- 4.4 Products will be delivered during CH2's normal business hours. If CH2 agrees to deliver products outside these normal business hours, CH2 may impose an additional delivery charge.
- 4.5 The products will be delivered using methods and carriers selected by CH2. If the Buyer requests other arrangements, the products will be transported at the Buyer's cost and risk.
- 4.6 Where:
  - (a) the Buyer does not take delivery when the products are ready; or
  - (b) the Buyer orders the products for collection and does not collect then within 10 business days after the specified collection date, CH2 is entitled to store the products (or deliver them to one of the Buyer's addresses) without liability and at the Buyer's cost and risk.

## 5. PAYMENT

- 5.1 Products will be invoiced on dispatch.
- 5.2 The Buyer must pay all invoices in full (without set-off or deduction, including for any claims for credit) within 30 days after the date of the invoice.
- 5.3 If the Buyer fails to pay an amount due:
  - (a) CH2 may charge interest on the overdue amounts calculated daily at 2% per annum above the maximum overdraft rate charged by CH2 bankers;
  - (b) CH2 may cancel or suspend further delivery of products to the Buyer until full payment of all money due from the Buyer to CH2; and
  - (c) CH2 may vary or withdraw credit at its discretion.
- 5.4 The Buyer must pay all expenses incurred by CH2 in the recovery of overdue amounts.

## 6. RISK AND TITLE

- 6.1 Risk in the products passes to the Buyer at the time of delivery to the Buyer, its carrier or agent. Title to and property in the products does not pass from CH2 to the Buyer until the Buyer pays in full all monies owing to CH2.
- 6.2 Until title to a product passes to the Buyer:
  - (a) the Buyer must hold the product as fiduciary and bailee for CH2 and store the product properly and separately as to be identifiable as the property of CH2;
  - (b) the Buyer must fully insure the product against loss or damage, ensuring that CH2's interest as owner is noted on the policy;
  - (c) if the Buyer does not pay an invoice by the due date or becomes an externally administered body corporate (as defined in the Corporations Act 2001 (Cth)), without prejudice to any other right CH2 is entitled to immediately enter any premises occupied by the Buyer and retake possession of all products previously supplied by it. CH2 may, in its absolute discretion, retain or sell any products it repossesses; and
  - (d) subject to clause 7.5, the Buyer may only sell or use the product as fiduciary (but not agent) of CH2, in the ordinary course of the Buyer's business and must:
    - (i) hold all proceeds separately in trust for CH2 and account to CH2 for all proceeds; and
    - (ii) assign to CH2 any book debt or claim against the third party acquirer of the product for the proceeds.

## 7. PERSONAL PROPERTY SECURITIES ACT

- 7.1 In this clause, PPS Act means the Personal Property Securities Act 2009 (Cth). If a term used in this clause has a particular

meaning in the PPS Act, it has the same meaning in this clause.

- 7.2 This clause applies to the extent that CH2's interest in any product is a security interest.
- 7.3 The Buyer agrees that the security interest is over the products, any proceeds of the products, and any other product or mass that the products may be or become part of. The products, proceeds and other product or mass are referred to in this clause collectively as the Collateral.
- 7.4 The Buyer acknowledges that CH2 may register a financing statement in relation to its security interest. The Buyer waives its right under s 157 of the PPS Act to receive notice of any verification statement relating to the registration of any such financing statement or any related financing change statement.
- 7.5 The Buyer undertakes, if it disposes of any Collateral, that it will receive proceeds at least equal to the market value of the Collateral, and that it will not allow any other security interest to exist over those proceeds if that security interest could rank ahead of CH2's security interest. If such a security interest does arise despite the previous sentence, the Buyer must ensure that it receives cash proceeds for the security interest at least equal to the market value of the proceeds, and must immediately pay those proceeds to CH2 in reduction of the amount owing.
- 7.6 CH2 can apply amounts it receives from the Buyer, including under clause 7.5, towards amounts owing to it in such order as CH2 chooses.
- 7.7 CH2 and the Buyer agree not to disclose information of the kind mentioned in section 275(1) of the PPS Act, except in the circumstances required by sections 275(7)(b) to (e) of the PPS Act. The Buyer agrees that it will only authorise the disclosure of information under section 275(7)(c) or request information under section 275(7)(d) if CH2 approves. Nothing in this clause will prevent any disclosure by CH2 that it believes is necessary to comply with its other obligations under the PPS Act.
- 7.8 To the extent that it is not inconsistent with clause 7.7 constituting a "confidentiality agreement" for the purposes of section 275(6) (a) of the PPS Act, the Buyer agrees that CH2 may disclose information of the kind mentioned in section 275(1) of the PPS Act to the extent that CH2 is not doing so in response to a request made by an "interested person" (as defined in section 275(9) of the PPS Act) pursuant to section 275(1) of the PPS Act.
- 7.9 If the Buyer does not pay an invoice by the due date or becomes an externally administered body corporate (as defined in the Corporations Act 2001 (Cth)), CH2 may enforce its security interest in any Collateral by exercising all or any of its rights including those under clause 6.2(c). To the extent that Chapter 4 of the PPS Act would otherwise apply to an enforcement by CH2 of its security interest in the Collateral, the Buyer and CH2 agree that the following provisions of the PPS Act do not apply:
  - (a) to the extent that s 115(1) of the PPS Act allows them to be excluded: ss 95, 118, 121(4), 125, 130, 132(3)(d), 132(4), 135, 136B(4), 142 and 143; and
  - (b) in addition, to the extent that section 115(7) of the PPS Act allows them to be excluded: ss 127, 129(2) and (3), 132, 134(2), 135, 136(5) and 137.
- 7.10 The Buyer must promptly do anything CH2 requires to ensure that its security interest is a perfected security interest and has priority over all other security interests.
- 7.11 Nothing in this clause is limited by any other provision of these terms or any other agreement between CH2 and the Buyer. Nothing in this clause limits CH2's rights or the Buyer's obligations apart from under this clause.

## 8. CLAIMS AND RETURNS

- 8.1 Within 7 days after delivery of any product, the Buyer must notify CH2 if any product has a short shelf life, has been damaged or spoilt before delivery, has been incorrectly sent or has been short delivered or has been incorrectly invoiced (a Product Claim).
- 8.2 CH2 may, in its absolute discretion, (but is not obliged to) accept returns of products which the Buyer has incorrectly ordered (a Product Credit), provided that the Buyer requests the Product Credit within 7 days after delivery of the product. If CH2 accepts a Product Credit, CH2 will charge the Buyer a restocking fee equal to the higher of \$25 or 10% of the price of the returned items.
- 8.3 Products being returned must comply with the following conditions:
  - (a) They must be returned using a carrier nominated by CH2.
  - (b) They must be unopened, in their unit of measure and in their original manufacturer's packaging which has not been marked, defaced, damaged or interfered with in any way (other than prior to delivery to the Buyer).
  - (c) They must be returned with a CH2 credit returns advice (which can be obtained from CH2 by calling 1300 720 274) duly completed and signed by the Buyer which:
    - (i) itemises the products being returned and explains the reasons for return;
    - (ii) confirms that the products have been stored at all times according to the label conditions and other applicable requirements imposed by law, regulation or recommendation by CH2 or the manufacturer; and
    - (iii) attaches a copy of the original signed and dated invoice for the returned products.
- 8.4 Products returned without the prior consent of CH2 may be returned to the Buyer at the Buyer's cost.
- 8.5 The Buyer acknowledges that the following products cannot be returned under any circumstances:
  - (a) buy to backorder lines;
  - (b) any "cold chain" products which are required to be stored between 2 and 8 degrees Celsius; and
  - (c) any nutritional products.

## 9. COMPLIANCE WITH LAWS, REQUIREMENTS AND GUIDELINES

- 9.1 The Buyer must hold all necessary licences and comply with all law and product manufacturer requirements relating to the purchase, storage, sale, marking or use of the products, including complying with all relevant adverse event reporting requirements, Therapeutic Goods Administration regulations and guidelines and information issued by product manufacturers from time to time.
- 9.2 If the Buyer is directed to assist in any suspension of supply or recall of products for any reason by CH2, the Therapeutic Goods Administration or a health authority, the Buyer will cooperate and comply with all such reasonable directions to ensure the most effective response to the suspension or recall. To the extent that CH2 is entitled to recover the costs of the suspension or

recall from the relevant product manufacturer or supplier, CH2 will reimburse to the Buyer any reasonable and necessary costs incurred by the Buyer in connection with the suspension or recall.

## 10. PRODUCT ADVICE AND USAGE

- 10.1 Any description of products used by CH2 is for identification purposes only and not a description with which the products must comply.
- 10.2 The Buyer acknowledges and agrees that any representation or advice given by or on behalf of CH2 (or any of its employees or agents) in respect of the operation or use of a product is offered for information purposes only and should not be relied upon. CH2 assumes no obligation or liability whatsoever in respect of any such representation or advice.
- 10.3 The Buyer acknowledges and agrees that it is responsible for advising its customers or patients about the operation, application, appropriateness and use of the products.

## 11. PRODUCT WARRANTIES

- 11.1 CH2 will use reasonable endeavours to enforce, at the cost and for the benefit of the Buyer, any product warranties, guarantees and representations made to CH2 by manufacturers and suppliers of products sold by CH2 to the Buyer.
- 11.2 CH2 does not represent or warrant that any product (including, in particular, any imported product) does not infringe any intellectual property rights (including those protected by an Australian registered patent) of any third party.

## 12. LIMITATION OF LIABILITY

- 12.1 Implied warranties and conditions as to the quality or fitness of the products or as to the accuracy of information, advice or other services concerning the products are expressly excluded to the maximum extent allowed by law.
- 12.2 CH2's liability for a breach of this document or for a breach of any implied warranty or condition is limited to, at CH2's election:
  - (a) replacing the products (or supplying equivalent products); or
  - (b) paying the cost of replacing the products (or supplying equivalent products).
- 12.3 CH2, its employees and agents shall not be liable for any loss or damage (including consequential loss or damage) of any kind whatever, even if due to the negligence of CH2, its employees or agents.
- 12.4 The Buyer agrees that the products are not of a kind ordinarily acquired for personal, domestic or household use or consumption.
- 12.5 The Buyer indemnifies CH2 for all liabilities, losses, damages, costs or expenses suffered or incurred by CH2 as a result of any act or omission of the Buyer, including (without limitation) loss incurred as a result of the Buyer:
  - (a) cancelling any order or part of any order;
  - (b) unloading, storing or handling the products;
  - (c) failing to comply with any manufacturer instructions regarding the products or with any laws relating to the storage, handling, sale, marking or use of the products;
  - (d) making, or allowing to be made, any statement in respect of the operation, application, appropriateness and use of the products; or
  - (e) breaching any of the Buyer's obligations under these terms and conditions of sale.

## 13. FORCE MAJEURE

- 13.1 CH2 is not liable to the Buyer for any failure to comply with this document if the failure (directly or indirectly) arises out of any circumstances which are not within CH2's reasonable control (including, for example, an act of war or terrorism, natural disaster, industrial action or failure of a supplier, public utility or common carrier) (a Force Majeure Event).
- 13.2 If a Force Majeure Event occurs, CH2's obligations under these terms and conditions of sale are suspended to the extent they are affected by the relevant event as long as the event continues. Neither CH2 nor the Buyer may terminate these terms and conditions of sale as a consequence of any Force Majeure Event.

## 14. CANCELLATION AND TERMINATION

- 14.1 The Buyer may not cancel any order once lodged with CH2, unless CH2, in its absolute discretion, agrees otherwise. CH2 will not agree to any cancellation unless the Buyer compensates CH2 against all loss or damage arising from the cancellation.
- 14.2 CH2 reserves the right to accept or decline in whole or in part any order. CH2 may discontinue supply of any product without notice, unless otherwise required by legislation.
- 14.3 CH2 may cancel any order and terminate these terms and conditions of sale if
  - (a) any invoice due is unpaid;
  - (b) the Buyer becomes insolvent or CH2 obtains an unfavourable credit report on the Buyer's financial standing, in which case, the Buyer must indemnify CH2 for any costs and expenses incurred prior to cancellation and must pay any reasonable cancellation charges fixed by CH2. In these circumstances, CH2 may require the Buyer to provide prepayments or other security as a condition of CH2 resuming delivery of products to the Buyer.
- 14.4 The Buyer has no claim against CH2 for any damage, loss, cost or expense arising from any cancellation by CH2.

## 15. GENERAL

- 15.1 No conduct of CH2 (including a failure to exercise, or delay in exercising, a right) operates as a waiver of a right of CH2 or otherwise prejudices or prevents the exercise of a right of CH2.
- 15.2 The Buyer may only assign, dispose of or otherwise create an interest in its rights under these terms and conditions of sale with the consent of CH2. CH2 may assign its rights under these terms and conditions of sale without the consent of the Buyer.
- 15.3 Any provision of these terms and conditions of sale which is unenforceable or partly unenforceable is, where possible, to be severed to the extent necessary to make these terms and conditions of sale enforceable, unless this would materially change the intended effect of this document.
- 15.4 These terms and conditions of sale are governed by the law in force in New South Wales.

**CH2.**

**1300 720 274**

[ch2.net.au](http://ch2.net.au)

**ISO  
9001  
QUALITY  
ASSURANCE**

SYDNEY | BRISBANE | NEWCASTLE | MELBOURNE | HOBART | ADELAIDE | PERTH